

Anlage zu Pos. 1.1

Digital Signage



Outdoor LCD totems - *Avisor series*

Impactful, engaging information

Aesys Full Outdoor LCD Totems *Avisor Series* add value and style to any installation, and grab their target's attention even before they deliver their promotional content.

Easy, visible and flexible

LCD totems are the ideal solution to deliver advertising messages and information to people with an immediate impact, perfect visibility even direct sun, on site serviceability and flexibility to easy integration of any interactivity device (multi touch screen, web cam player or pc...).

Brand Customization

Designed to be easily customized both aesthetically and mechanically, Aesys LCD totems *Avisor Series* are ideally suited to identify your brand or organization through colours and image customization, till even more extreme one to strenghten your brand image.

Installation in any environment

High brightness LCD display totem designed to respond to any extreme outdoor conditions: able to properly work in every environment protected from hot, cold, dust

Anlage zu Pos. 1

Outdoor Digital Information multimedia Stele 55" 2500 nit



Abbildungen ähnlich

LED 55-2500 OUTDOOR Stele

Multimedia Info Stele für den Außenbereich. Profi LCD Panel speziell für den Außenbereich. Allwetter tauglich auch unter direkter Sonne. Temperaturmanagement ohne aktive Klimaanlage. Öffnung von der Front.

Merkmale:

- robustes Ganzmetallgehäuse, pulverbeschichtet. Standard RAL 7040
- Schlankes Design
- Vollglas Front entspiegelt
- Anti Vandalic
- Dauerbetrieb 24/7
- 2500 cd/m² Helligkeit
- Multi Color, 16,7 Millionen
- Interne Lautsprecher (Option)
- DPMS (digital power management system)
- Temperaturmanagement, elektronisch geregelte Kühlung- und Heizungssteuerung
- Temperaturbereich -30°C bis 50°C
- Automatische Helligkeitsregelung
- LED backlight ECO System bis zu 40% geringere Leistungsaufnahme
- Optical Bonding, deutliche Kontrasterhöhung

General technical

Type of totem:	Full Outdoor IP65 all conditions - direct sun too
Versions:	Single and double sided, both just 200mm depth only
Resolution:	Full HD 1.920x1.080 pixels
Sizes:	47"/55" and 75", super high brightness 2500 cd/m ²
Dimensions (mm):	47"/55" L 890 x H 2.100 x D 200 75" under developing
Housing:	Aluminium and full black glass design chassy
Protective screen:	vandalproof, non-reflective, UV resistant
Protection rating:	IP65



Highly versatile functions and interactivity

Integrated diagnostic control board. Continuously control of system functions: Temperatur, fans, panel, voltages. .

LCD totems can be integrated with equipment to boost the audience's experience, such as multi touchscreen displays, webcams, proximity sensors and PC/players.

Outstanding reliability, low maintenance

Aesys's renowned quality in design and production, the fruit of forty years of experience in information displays, assures the reliability and ease of on-site maintenance of the product.



Technical:

Panel:	47" / 55"
Backlight:	LED
Resolution:	1080 x 1920
Brightness:	2500 cd/m ²
Contrast:	4000 : 1
viewing:	176° / 176°
Colors:	16,7 Million
Input:	VGA, DVI, HDMI
Power:	700 W
Voltage:	240 VAC / 50Hz
Weight:	approx. 180kg
Tem. Range:	-20°C to 45°C
MTBF:	50.000 hours
IP class:	IP 65
ant. Vand.:	Laminated AR glass UV-filter

non air condition based temperatur management. Low power technology over heating protection.
automatic brightness control

Optional:

interactivite multi touch.
Industrial PC
other